
## 2.71 Optics

Problem Set #8 Posted Wednesday, April 29, 2009 — Due Wednesday, May 6, 2009

Spring '09

- 1. In a diffraction-limited imaging system, the contrast is measured at spatial frequency  $25 \text{mm}^{-1}$  and it is found to be 68.75%.
  - **1.a)** What is the contrast at spatial frequency  $50 \text{mm}^{-1}$ ?
  - **1.b)** Is the spatial frequency  $50 \text{mm}^{-1}$  "visible" through this imaging system under spatially coherent illumination consisting of a plane wave on-axis?
  - **1.c)** Does the answer to the previous question change if the on-axis constraint is relaxed, *i.e.* if we allow off-axis plane wave illumination?
- 2. The modulation transfer function (MTF) of an optical system is given in the figure below. The system is illuminated with quasi-monochromatic, spatially incoherent light. The intensity pattern at the input plane of the system is given by

 $I(x) = \frac{1}{2} \left[ 1 + \frac{1}{2} \cos\left(2\pi \frac{x}{40\mu m}\right) + \frac{1}{2} \cos\left(2\pi \frac{3x}{40\mu m}\right) \right]$ 



- 2.a) What is the contrast of the intensity pattern at the input plane?
- **2.b)** Plot the intensity pattern formed at the output plane, and calculate the image contrast.
- **2.c)** Can you guess the coherent transfer function and cut-off spatial frequency for this imaging system?
- **3.** The *coherent* PSF of a 1–D imaging system is given by

$$h(x) = \operatorname{sinc}^2\left(\frac{x}{b}\right),$$

where b is a fixed distance.

- **3.a)** What is the *incoherent* PSF?
- **3.b)** What is the MTF?

<u>Hint:</u> make heavy use of the Fourier transform properties.

- 4. Consider again the optical system shown in page Lecture 19, p. 23 of the Notes, but this time with quasi-monochromatic spatially incoherent illumination of uniform intensity incident on the input transparency.
  - **4.a)** Derive and sketch the intensity at the output plane.
  - **4.b)** Compute the contrast.
  - **4.c)** Compare with the spatially coherent case.
- 5. Consider again the optical system with phase pupil mask shown in Lecture 19, p. 26 of the Notes, where the pupil mask amplitude transmission is as shown in Lecture 19, p. 27. The illumination incident on the input transparency is quasi-mono-chromatic spatially incoherent with uniform intensity.
  - **5.a)** Derive and sketch the intensity at the output plane.
  - **5.b)** Compute the contrast.
  - **5.c)** Compare with the spatially coherent case.

2.71 / 2.710 Optics Spring 2009

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.