ABDUL LATIF JAMEEL Poverty Action Lab



How to randomize?

Rachel Glennerster J-PAL

Course Overview

- Why evaluate? What is evaluation?
- Outcomes, indicators and measuring impact
- Impact evaluation why randomize
- How to randomize
- Sampling and sample size
- Analysis and inference
- RCTs: Start to Finish

Lecture Overview

- Unit and method of randomization
- Real-world constraints
- Revisiting unit and method
- Variations on simple treatment-control


Unit of Randomization: Options

- 1. Randomizing at the individual level
- 2. Randomizing at the group level "Cluster Randomized Trial"
- Which level to randomize?

Unit of Randomization: Considerations


- What unit does the program target for treatment?
- What is the unit of analysis?

Unit of Randomization: Individual?




6

Unit of Randomization: Individual?




7

Unit of Randomization: Clusters?




"Groups of individuals": Cluster Randomized Trial

Unit of Randomization: Class?




9


Unit of Randomization: Class?



Unit of Randomization: School?



Unit of Randomization: School?



How to Choose the Level

- Nature of the Treatment
 - How is the intervention administered?
 - What is the catchment area of each "unit of intervention"
 - How wide is the potential impact?
- Aggregation level of available data
- Power requirements
- Generally, best to randomize at the level at which the treatment is administered.

Lecture Overview

- Unit and method of randomization
- Real-world constraints
- Revisiting unit and method
- Variations on simple treatment-control

Constraints: Political Advantages

- Not as severe as often claimed
- Lotteries are simple, common and transparent
- Randomly chosen from applicant pool
- Participants know the "winners" and "losers"
- Simple lottery is useful when there is no a priori reason to discriminate
- Perceived as fair
- Transparent

Constraints: Resources

- Most programs have limited resources

 Vouchers, Farmer Training Programs
- Results in more eligible recipients than resources will allow services for
- Are often an evaluator's best friend
 - Key is to get around mechanism implementers use to match recipients to treatment
 - Recruit until constraints met
 - May distinguish recipients by arbitrary criteria

• How to Randomize, Part I - 16

Constraints: contamination Spillovers/Crossovers

- Remember the counterfactual!
- If control group is different from the counterfactual, our results can be biased
- Can occur due to
 - Spillovers
 - Crossovers

Constraints: logistics

Need to recognized logistical constraints in research designs.

Ex: de-worming treatment by health workers

- Suppose administering de-worming drugs was one of many responsibilities of a health worker
- Suppose the health worker served members from both treatment and control groups
- It might be difficult to train them to follow different procedures for different groups, and to keep track of what to give whom

Constraints: fairness, politics

- Randomizing at the child-level within classes
- Randomizing at the class-level within schools
- Randomizing at the community-level

Constraints: sample size

- The program is only large enough to serve a handful of communities
- Primarily an issue of statistical power
- Will be addressed tomorrow

Lecture Overview

- Unit and method of randomization
- Real-world constraints
- Revisiting unit and method
- Variations on simple treatment-control


What if you have 500 applicants for 500 slots?

- Consider non-standard lottery designs
- Could increase outreach activities
- Is this ethical?

22

Sometimes screening matters

- Suppose there are 2000 applicants
- Screening of applications produces 500 "worthy" candidates
- There are 500 slots
- A simple lottery will not work



Consider the screening rules

- What are they screening for?
- Which elements are essential?
- Selection procedures may exist only to reduce eligible candidates in order to meet a capacity constraint
- If certain filtering mechanisms appear "arbitrary" (although not random), randomization can serve the purpose of filtering and help us evaluate

Randomization in "the bubble"

- Sometimes a partner may not be willing to randomize among eligible people.
- Partner might be willing to randomize in "the bubble."
- People "in the bubble" are people who are borderline in terms of eligibility

– Just above the threshold \rightarrow not eligible, but almost

• What treatment effect do we measure? What does it mean for external validity?

Randomization in "the bubble"

Treatment

Control

Within the bubble, compare **treatment** to control

Non-participants

participants


26

When screening matters: Partial Lottery

- Program officers can maintain discretion
- Example: Training program
- Example: Expansion of consumer credit in South Africa

Phase-in: takes advantage of expansion

- Everyone gets program eventually
- Natural approach when expanding program faces resource constraints
- What determines which schools, branches, etc. will be covered in which year?



Phase-in designs

Advantages

Everyone gets something eventually Provides incentives to maintain contact

Concerns

Can complicate estimating long-run effects Care required with phase-in windows Do expectations of change actions today?

Rotation design

- Groups get treatment in turns
- Advantages
- Concerns

Rotation design

Round 1 Treatment: 1/2 Control: 1/2

Round 2 Treatment from Round 1 → Control Control from Round 1 → Treatment

"Want to survey me? Then treat me"

- Phase-in may not provide enough benefit to late round participants
- Cooperation from control group may be critical




- Consider within-group randomization
- E.g., balsakhi program
- All participants get some benefit
- Concern: increased likelihood of contamination

Encouragement design: What to do when you can't randomize access

- Sometimes it's practically or ethically impossible to randomize program access
- But most programs have less than 100% takeup
- Randomize encouragement to receive treatment

Encouragement design



What is "encouragement"?

- Something that makes some folks more likely to use program than others
 Not itself a "treatment"
- For whom are we estimating the treatment effect?
- Think about who responds to encouragement

To summarize: Possible designs

- Simple lottery
- Randomization in the "bubble"
- Randomized phase-in
- Rotation
- Encouragement design

- Note: These are not mutually exclusive.

Design	Most useful when	Advantages	Disadvantages
Basic Lottery	 Program oversubscribed 	 Familiar Easy to understand Easy to implement Can be implemented in public 	 Control group may not cooperate Differential attrition

Design	Most useful when	Advantages	Disadvantages
Phase-In	 Expanding over time Everyone must receive treatment eventually 	 Easy to understand Constraint is easy to explain Control group complies because they expect to benefit later 	 Anticipation of treatment may impact short-run behavior Difficult to measure long-term impact

Design	Most useful when	Advantages	Disadvantages
Rotation	 Everyone must receive something at some point Not enough resources per given time period for all 	 More data points than phase-in 	•Difficult to measure long-term impact

Design	Most useful when	Advantages	Disadvantages
Encouragement	 Program has to	•Can randomize at	 Measures impact of
	be open to all	individual level	those who respond to
	comers When take-up is	even when the	the incentive Need large enough
	low, but can be	program is not	inducement to improve
	easily improved	administered at	take-up Encouragement itself
	with an incentive	that level	may have direct effect

Lecture Overview

- Unit and method of randomization
- Real-world constraints
- Revisiting unit and method
- Variations on simple treatment-control

Multiple treatments

- Sometimes core question is deciding among different possible interventions
- You can randomize these programs
- Does this teach us about the benefit of any one intervention?
- Do you have a control group?

Multiple treatments

Treatment 1 Treatment 2 Treatment 3

Cross-cutting treatments

- Test different components of treatment in different combinations
- Test whether components serve as substitutes or compliments
- What is most cost-effective combination?
- Advantage: win-win for operations, can help answer questions for them, beyond simple "impact"!

Varying levels of treatment

- Some schools are assigned full treatment
 All kids get pills
- Some schools are assigned partial treatment
 - 50% are designated to get pills
- Testing subsidies and prices

Stratification

- Objective: balancing your sample when you have a small sample
- What is it:
 - dividing the sample into different subgroups
 - selecting treatment and control from each subgroup
- What happens if you don't stratify?

When to stratify

- Stratify on variables that could have important impact on outcome variable (bit of a guess)
- Stratify on subgroups that you are particularly interested in (where may think impact of program may be different)
- Stratification more important when small data set
- Can get complex to stratify on too many variables
- Makes the draw less transparent the more you stratify
- You can also stratify on index variables you create

Mechanics of randomization

- Need sample frame
- Pull out of a hat/bucket
 Use random number generator in spreadsheet program to order observations randomly
- Stata program code
 What if no existing list?



Courtesy of Chris Blattman. Used with permission.

MIT OpenCourseWare http://ocw.mit.edu

Resource: Abdul Latif Jameel Poverty Action Lab Executive Training: Evaluating Social Programs Dr. Rachel Glennerster, Prof. Abhijit Banerjee, Prof. Esther Duflo

The following may not correspond to a particular course on MIT OpenCourseWare, but has been provided by the author as an individual learning resource.

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.